

anywAiR[®] Technology Ducted Controller

Smart Climate Control For Fujitsu Ducted Air Conditioners



Smart Ducted Climate Control

Take control of your climate with Fujitsu's anywAiR® technology Ducted Controller – the smart solution for managing your new ducted air conditioning system.



Enjoy seamless Wi-Fi connectivity and intuitive control via a sleek wall-mounted touchpad, or adjust settings anytime, anywhere using the anywAiR® app.
Now that's smart...

The Fujitsu General anywAiR® technology ducted controller provides Wi-Fi control for Fujitsu ducted air conditioning systems via a wall mounted touch pad. Remote access is available using the anywAiR® App¹, giving control of your ducted system anytime, anywhere with selected smartphone and tablet devices.



Easy to install



Voice assistant-friendly



Energy management features



Intuitive mobile app



Online 24/7 customer support



5 year warranty



Easy to Use Touchpad

Mounted portrait or landscape to the wall, the anywAiR technology ducted controller is simple to set-up using a Google Play Store account. The touchpad can be used to operate your ducted system and manage a variety of Android apps such as weather, recipes and music.

Mounting

The anywAiR technology touch pad is permanently attached to the wall with the ability to pivot between portrait and landscape modes so that you can enjoy all the apps in the orientation that suits you best. To be installed by a Fujitsu air conditioning specialist only.

Key Features



Programmable Scenarios

Create up to 12 custom scenes to run a series of commands at the touch of a button or at a chosen time. Commands can include turning the unit on and off, or changing the mode or temperature. Scenarios such as coming home from work can be programmed to control the air flow and temperature to rooms as required.

0-100%



Variable Air Volume (VAV)² & Temperature Controlled VAV³

Variable Air Volume control enables you to select the percentage of air flow for each zone from 0 to 100 percent, in 5 percent increments. Temperature Controlled VAV is available if optional temperature sensors are installed in each zone, allowing you to choose the desired temperature for each zone and the system will adjust the air flow required to maintain it.



MainTemp

Acts as an automated MainZone. MainTemp will automatically select the zone with the greatest temperature difference between the current and desired temperature. Once the desired temperature is reached in that zone, MainTemp will shift to the next room with the highest temperature discrepancy and repeat the process.



Google Home Integration

Control your anywAiR technology ducted controller hands free with Google Home. Use simple voice commands to turn the system on or off, change modes, and adjust the temperature for quick, convenient home comfort.



AutoMode

Taking MainTemp to the next level, AutoMode gives the user full automation. This feature not only selects a zone as the MainZone, it will also change the mode of the air conditioner between cooling and heating.



Sleep Economiser

This energy saving feature automatically switches your air conditioner from COOL to FAN mode overnight (10pm-6am) before returning to COOL in the morning.



Active Weather

Receive real-time temperature updates for your suburb when entering your postcode. Create and manage events that trigger cooling, heating or fan operation based on local temperature thresholds, with optional alert notifications.

Garage Door Controller Add-On Module

Further enhance your smart home experience with the all-new optional Garage Door Controller and Sensor⁴. Whether you're at work or on the go, you'll have peace of mind knowing you can check and control your garage door right from your smartphone.

Remote Control

Operate your garage door from anywhere through the anywAiR technology app on your smart device.

Compatibility

Designed for panel doors with a flat surface, ensuring accurate status detection (open, moving, or shut).

Automatic Notifications

Receive automatic alerts on your connected devices if the garage door is left open for a specified duration.



Fujitsu General Assist

Technical Support

Fujitsu General Assist deploys Fujitsu trained technicians in Sydney, Melbourne, Brisbane, Adelaide and Perth and provides access to dedicated Service Agents in all other parts of Australia. These technicians are well equipped with the necessary tools and spare parts to enable them to resolve issues onsite, promptly, offering customers a high first time fix rate and seamless experience.

Exceptional After Sales Service

At Fujitsu, we pride ourselves on providing exceptional customer service. Fujitsu General Assist is our in-house customer care and technical support department which was implemented to deliver a high level of support and accessibility to our customers.



Peace of Mind


Fujitsu believe in the quality and reliability of every air conditioner we sell, providing a 5 years warranty for domestic applications. The anywAiR technology ducted controller also comes with a 5 year parts and labour warranty for long-term peace of mind.



Download the free app



Download the anywAiR® app
from the App store or Google Play.



Follow the steps to configure the App



Once set up, the anywAiR® App interacts with the anywAiR® technology ducted controller to remotely control your ducted system.

¹ The anywAiR® app is only compatible with a selected range of Fujitsu General ducted air conditioners when the optional anywAiR® technology ducted controller is installed. It is not a standard inclusion when purchasing a Fujitsu ducted air conditioning system and must be installed by a Fujitsu Authorised Partner.

² VAV control is achieved by adjusting the opposed blade damper to control the airflow. The airflow fan setting (high/med/low/auto) of the system works independently to this function.

³ Requires optional individual room sensors to be installed.

⁴ Fujitsu's Garage Door Controller and Garage Door Sensor is an add-on that is compatible with the new UTY-ANY2 Ducted Controller and must be installed by a Fujitsu installer. Applicable for panel garage doors only. App version 2.1478 or later.

Copyright© 2026 GENERAL Australia. All rights reserved. Actual products' colours may be different from the colours shown online. App Store is a service mark of Apple Inc. ©2019 Google LLC All rights reserved. Google Play and the Google Play logo are trademarks of Google LLC. Other trademarks and tradenames are acknowledged to be the copyright of their respective holders.

anywAiR® technology

GENERAL Australia accepts no liability for incorrect data. Please ensure you have confirmed installation requirements and pipe sizes prior to install.

